

# SWAT

## INSECTICIDE FOR HORSES

- LOW-IRRITANT FORMULATION •

**Restraint: DO NOT USE** on horses that may be slaughtered for human consumption.

**Contraindications:** This product is contraindicated for use in foals under 12 weeks of age.

### **SAFETY DIRECTIONS:**

May irritate the eyes. Avoid contact with the eyes. Wash hands after use.

### **FIRST AID:**

If poisoning occurs, contact a doctor or Poisons Information Centre – Phone Australia 13 11 26

Additional user safety: If additional hazard information is required, refer to the Material Safety Data Sheet which is available from Pharmachem – Telephone (07) 3868 0333.

### **DISPOSAL:**

Dispose of empty container by wrapping in paper and putting in garbage.

### **STORAGE:**

Store below 30°C (Room Temperature) in a dry place in the upright, tightly closed container. Protect from light.

APVMA APPROVAL No.: 68798/59107

**DIRECTIONS FOR USE:**

Restraint: DO NOT USE on horses that may be slaughtered for human consumption.  
 Contraindications: This product is contraindicated for use in foals under 12 weeks of age.

**Dosage and Administration:** Do not apply more than 30 mL per animal

ANIMAL AND TARGET PEST		DOSAGE	ADMINISTRATION
Horses, by Ready-to-Use Wipe-on application:			<b>SHAKE WELL BEFORE USE</b> Apply as a WHOLE BODY WIPE with an applicator mitt or cloth. For the first application, wet the new mitt or cloth, apply twice the dosage to charge the mitt or cloth. Pay special attention to where pests congregate, including the face, being careful not to get product in the eyes. <ul style="list-style-type: none"> <li>• For Sandflies — wipe neck withers and around tailhead</li> <li>• For Buffalo Flies — Wipe sides, shoulders and belly</li> <li>• For Queensland Itch — Apply as directed above</li> <li>• For Stable Flies — Wipe legs, shoulders and belly</li> </ul>
Biting Flies: Sandflies, including <i>Culicoides</i> spp., Buffalo Fly ( <i>Haematobia irritans exigua</i> )	3mL / 100kg bodyweight per animal		
Queensland Itch (Hypersensitivity to <i>Culicoides</i> spp)	Re-apply as needed but not more often than once every 7 days		
Biting and Nuisance Flies: Stable Fly ( <i>Stomoxys calcitrans</i> ), Buffalo Flies and Sandflies	6mL / 10kg bodyweight up to a maximum of 30mL per animal		Apply as directed above <ul style="list-style-type: none"> <li>• For Stable Flies — wipe legs, shoulders and belly</li> </ul>

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**

# SWAT

## INSECTICIDE FOR HORSES

- LOW-IRRITANT FORMULATION •

### **General Directions:**

Pharmachem Swat Insecticide For Horses will give effective control of biting and nuisance flies when used as directed. The level and duration of control may be reduced due to high fly pressure or on working horses due to the effects of perspiration.

### **Application:**

For dirty horses, shampoo and rinse thoroughly. Wear protective gloves when applying with a mitt or cloth. Shake well before using. Loosen cap and squeeze bottle to fill measuring chamber with required dosage. Remove cap and apply to applicator mitt or cloth. Apply 3 to 6mL per 100kg body weight, depending on targeted pests, up to a maximum of 30mL per animal.

Store the mitt or cloth in a resealable plastic bag.

### **MEAT WITHHOLDING PERIOD:**

**DO NOT USE** on horses that may be slaughtered for human consumption.

### **PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT:**

Dangerous to fish. Do not contaminate dams, rivers, streams, drains or waterways with the chemical or used containers.