

SWAT

INSECTICIDE FOR HORSES

- LOW-IRRITANT FORMULATION •

Restraint: DO NOT USE on horses that may be slaughtered for human consumption.

Contraindications: This product is contraindicated for use in foals under 12 weeks of age.

SAFETY DIRECTIONS:

May irritate the eyes. Avoid contact with the eyes.
Wash hands after use.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre – Phone Australia 13 11 26
Additional user safety: If additional hazard information is required, refer to the Material Safety Data Sheet which is available from Pharmachem – Telephone (07) 3868 0333.

DISPOSAL:

Dispose of empty container by wrapping in paper and putting in garbage.

STORAGE:

Store below 30°C (Room Temperature) in a dry place in the upright, tightly closed container.
Protect from light.

APVMA APPROVAL No.: 68798/59107

DIRECTIONS FOR USE:

Restraint: DO NOT USE on horses that may be slaughtered for human consumption.
Contraindications: This product is contraindicated for use in foals under 12 weeks of age.

Dosage and Administration: Do not apply more than 30 mL per animal

ANIMAL AND TARGET PEST		DOSAGE	ADMINISTRATION
Horses, by Ready-to-Use Wipe-on application: Biting Flies: Sandflies, including <i>Culicoides</i> spp., Buffalo Fly (<i>Haematobia irritans exigua</i>)	3 mL / 100 kg bodyweight per animal	Re-apply as needed but not more often than once every 7 days	SHAKE WELL BEFORE USE Apply as a whole body wipe with an applicator mitt, cloth or towel when fly numbers exceed acceptable levels. For the first application with a new applicator mitt, apply twice the dosage to charge the mitt. Pay special attention to where pests congregate, including the face, being careful not to get product in the eyes: <ul style="list-style-type: none">• For Sandflies – wipe neck withers and around tailhead• For Buffalo Flies – Wipe sides, shoulders and belly• For Queensland Itch – Apply as directed above• For Stable Flies – Wipe legs, stroulders and belly
	Queensland Itch (Hypersensitivity to <i>Culicoides</i> spp)		
Biting and Nuisance Flies: Stable Fly (<i>Stomoxys calcitrans</i>), Buffalo Flies and Sandflies	6 mL / 100 kg bodyweight up to a maximum of 30 mL per animal		

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

SWAT

INSECTICIDE FOR HORSES

- LOW-IRRITANT FORMULATION •

General Directions:

Pharmachem Swat Insecticide For Horses will give effective control of biting and nuisance flies when used as directed. The level and duration of control may be reduced due to high fly pressure or on working horses due to the effects of perspiration.

Application:

For dirty horses, shampoo and rinse thoroughly. Use an applicator mitt, cloth or towel when applying. Shake well before using. Loosen cap and squeeze bottle to fill measuring chamber with required dosage. Remove cap and apply to applicator mitt, cloth or towel. Apply 3 to 6 mL per 100 kg body weight, depending on targeted pests, up to a maximum of 30 mL per animal.

MEAT WITHHOLDING PERIOD:

DO NOT USE on horses that may be slaughtered for human consumption.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT:

Dangerous to fish. Do not contaminate dams, rivers, streams, drains or waterways with the chemical or used containers.