

PEEL
HERE

PHARMACHEM

CAUTION

KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

FLYSCREEN™

POUR-ON

Insecticide for Horses



Active
Constituents:
87g/L Permethrin
(25:75 cis:trans)

For the control
of susceptible **BUFFALO FLY**
(*Haematobia irritans exigua*),
STABLE FLY (*Stomoxys calcitrans*)
and **SANDFLIES** (*Culicoides spp.*) on horses.

• Aids in the treatment of Queensland Itch

120 mL

Application Method	Target Pest	Instructions
Read-To-Use POUR-ON	Buffalo Fly (<i>Haematobia irritans exigua</i> and Sandflies (<i>Culicoides spp.</i>))	Apply the measured dose along the backbone, ensuring that the mane and rump are treated. Do not apply forward of the ears.
Read-To-Use WIPE-ON	Stable Fly (<i>Stomoxys calcitrans</i>)	Wipe legs, shoulders and belly with an applicator mitt/cloth. For the first application with a new applicator mitt/cloth, apply twice the dosage to charge the mitt/cloth. Squeeze mitt/cloth in a resealable plastic bag.

Repeat treatment as needed but not more often than once every 7 days



SCAN ME
For more
information

Batch No.:
Expiry Date:

Restraints: DO NOT apply more than 30 mL per animal. DO NOT use on horses that may be used for human consumption.

Contraindications: This product is contraindicated for use in foals under 12 weeks of age.

Dosage and Administration:

Ready-To-Use Pour-On.
SHAKE WELL BEFORE USE.

Flyscreen™ should be applied using the graduated dispensing chamber incorporated in the container. Loosen the cap and apply measured dose either poured directly on the animal or onto applicator mitt/cloth and then onto the animal.

Apply to horse at the rate of 6 mL per 100 kg body weight, as per the dose table below:
DO NOT apply more than 30 mL per animal.

BODYWEIGHT	DOSE
Up to 100kg	6 mL
101 – 200 kg	12 mL
201 – 300 kg	18 mL
301 – 400 kg	24 mL
401 – 500 kg and above	30 mL

Application: Apply when fly numbers exceed acceptable levels. For dirty horses, shampoo and rinse thoroughly before application. DO NOT apply to horses that will be ridden within 24 hours of application.



Unit 6, 70 Fison Ave West, Eagle Farm QLD 4009
www.pharmachem.com.au

General Directions: Flyscreen™ aids in the control of susceptible nuisance flies and biting insects including: *Haematobia irritans exigua* (**Buffalo Fly**), *Stomoxys calcitrans* (**Stable fly**), *Culicoides spp.* (**Sandflies**). Flyscreen™ also aids in the control of Queensland Itch in horses caused by *Culicoides spp.* (**Biting Midges**). Flyscreen™ will give effective control of biting insects and nuisance flies when used as directed. The level and duration of control may be reduced due to high fly pressure or on working horses due to the effects of perspiration.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

Safety Directions: May irritate the eyes. Avoid contact with the eyes. Wash hands after use.

First Aid instructions: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

Additional User Safety: If additional hazard information is required, refer to the Safety Data Sheet which can be obtained by contacting Pharmachem on (07) 3868 0333.

Environmental Statements:
ENVIRONMENTAL PROTECTION
This product is highly toxic to fish. Do not contaminate dams, rivers, streams or other waterways with the chemical or used container.

Disposal: Dispose of container by wrapping with paper and putting in garbage.

Storage: Store upright at room temperature below 30°C. Store in the original container tightly closed in a dry place. DO NOT store in direct sunlight.

APVMA APPROVAL NO.: 90589/129369
Patented AU 2021102712